




Huzhou Charming Lighting Co., Ltd.
Tel: (86) 18006626989 Email: feng@charming-tech.cn



LED Rigid Strip

Hanron LED rigid strip adopts super high brightness LED, LM-80 standard, 97.4% lumen remains after 6000H testing. By combining with aluminum profile or silicone tube it can be widely used in indoor and outdoor lighting places such as concealed trough lighting, cabinet lighting, and outdoor lighting.

Unit: mm



Feature

- 80% Energy Saving
- IP20/IP33/IP65 optional
- High brightness and low light attenuation
- CE/RoHS certification

SMD5730 LED Rigid Strip

	LED Type	LED QTY	Power	Voltage	Lumen	Color	IP Rating	Dimension
	SMD5730	60LED/M	14W	DC12/24V	1540lm/M	WW/NW/CW	IP20/33/65	1000*12mm
	SMD5730	72LED/M	18W	DC12/24V	1980lm/M	WW/NW/CW	IP20/33/65	1000*12mm

SMD2835 LED Rigid Strip


	LED Type	LED QTY	Power	Voltage	Lumen	Color	IP Rating	Dimension
	SMD2835	60LED/M	9.6W	DC12/24V	1000lm/M	W/R/B/G/Y	IP20/33/65	1000*12mm
	SMD2835	120LED/M	14W	DC12/24V	1470lm/M	W/R/B/G/Y	IP20/33/65	1000*12mm
	SMD2835	240LED/M	20W	DC24V	2100lm/M	W/R/B/G/Y	IP20/33/65	1000*12mm



RGB LED Rigid Strip

Adopting large-sized chips and pure gold wire packaging, it has high brightness, pure color, long service life, and is suitable for high-end decoration engineering use. By combining with different aluminum or plastic profiles, it can be widely used in various indoor and outdoor lighting decoration projects.

Unit:mm



Feature

- 80% Energy Saving
- IP20/IP33/IP65 optional
- High brightness and low light attenuation
- CE/RoHS certification

SMD3838 RGB LED Rigid Strip

	LED Type	LED QTY	Power	Voltage	Lumen	Color	IP Rating	Dimension
	SMD3838	60LED/M	14.4W	DC12/24V	452lm/M	RGB	IP20/33/65	1000*12mm
	SMD3838	120LED/M	18W	DC24V	864lm/M	RGB	IP20/33/65	1000*12mm

SMD5050 Colors LED Rigid Strip

	LED Type	LED QTY	Power	Voltage	Lumen	Color	IP Rating	Dimension
	SMD5050	60LED/M	12W	DC12/24V	452lm/M	RGB	IP20/33/65	1000*12mm
	SMD5050	72LED/M	14.4W	DC12/24V	547lm/M	RGB	IP20/33/65	1000*12mm
	SMD5050	60LED/M	16W	DC24V	768lm/M	RGBW	IP20/33/65	1000*12mm
	SMD5050	72LED/M	19.2W	DC24V	921lm/M	RGBW	IP20/33/65	1000*12mm







Cabinet LED linear light

- 1. Super high brightness LED, LM-80 standard, 97.4% lumen remains after 6000H testing
- 2. The types of cabinet profiles are complete and can meet different purposes
- 3. Various sensing accessories can be provided to achieve intelligent linear lights
- 4. Complete accessories, including adapters, branching devices, bayonets, plugs, etc

The best-selling styles



HR-313
Welding free profile
Color: Black / Silver
Dimension: 12.6*10mm



HR-314
Welding free profile
Color: Black / Silver
Dimension: 16*16mm




HR-317
45° aluminum profile
Color: Silver
Dimension: 23.8*8.7mm



HR-163
Glass layer profile
Color: Silver
Dimension: 11*17mm

Unit: mm


Silicone PC cover series



HR-324
V type profile
Color: Grey/Silver
Dimension: 28*8.65mm



HR-325
Recessed profile
Color: Black/Silver
Dimension: 7.3*9.2mm



HR-329
Double side profile
Color: Black/Silver
Dimension: 17.9*8.5mm



HR-330
45° aluminum profile
Color: Grey/Silver
Dimension: 14.95*9.7mm

Hot selling sensor



Hand scanning sensor

Hand Sweep On,
Re Sweep Off Lights



Human body sensor

People come with lights on,
people go with lights off



Door collision sensor

Door opening light on,
door closing light off



Touch sensor

Light touch to turn on,
touch again to turn off



Wireless sensor

Wireless remote control,
no wiring required

Other accessories



4/6 hole LED junction box



LED extension cable



LED guide rail




Cabinet light dedicated adapter




Solderless connector with wire

Connection method


1 Normal adapter to LED linear light directly




3 Dedicated adapter to LED linear light



2 Normal adapter to junction box




4 Dedicated adapter to junction box



The more led light you use, the more power you need to use.
For more information, please contact us

LED Rigid Strip Light with Housing




- 1. L type design, suitable for corner area
- 2. Aluminum profile+PC cover, best heat dissipation
- 3. High brightness output with low decay
- 4. Can be used as linear decorative lighting



*Please contact our sales for the latest details and certificates

Dimension mm	LED QTY LED/PCS	Power W	Brightness @4000K Ra80 IP20	CCT	CRI	Voltage	Housing Material	IP Rating
L304*W16*H16	36	4.4	374lm/pcs	3000K/4000K/5000K/6500K	80/90/95	DC12V/DC24V	Aluminum+PC	IP20/IP65
L504*W16*H16	60	7.2	612lm/pcs	3000K/4000K/5000K/6500K	80/90/95	DC12V/DC24V	Aluminum+PC	IP20/IP65
L1004*W16*H16	120	14.4	1224lm/pcs	3000K/4000K/5000K/6500K	80/90/95	DC12V/DC24V	Aluminum+PC	IP20/IP65
L304*W16*H16	48	4.4	528lm/pcs	3000K/4000K/5000K/6500K	80/90/95	DC24V	Aluminum+PC	IP20/IP65
L504*W16*H16	80	7.2	864lm/pcs	3000K/4000K/5000K/6500K	80/90/95	DC24V	Aluminum+PC	IP20/IP65
L1004*W16*H16	160	14.4	1728lm/pcs	3000K/4000K/5000K/6500K	80/90/95	DC24V	Aluminum+PC	IP20/IP65

LED Rigid Strip Light with Housing



- 1. Recessed mounting, suitable for cabinet
- 2. Aluminum profile+PC cover, best heat dissipation
- 3. High brightness output with low decay
- 4. Can be used as linear decorative lighting



*Please contact our sales for the latest details and certificates

Dimension mm	LED QTY LED/PCS	Power W	Brightness @4000K Ra80 IP20	CCT	CRI	Voltage	Housing Material	IP Rating
L304*W24*H6.8	36	4.4	374lm/pcs	3000K/4000K/5000K/6500K	80/90/95	DC12V/DC24V	Aluminum+PC	IP20/IP65
L504*W24*H6.8	60	7.2	612lm/pcs	3000K/4000K/5000K/6500K	80/90/95	DC12V/DC24V	Aluminum+PC	IP20/IP65
L1004*W24*H6.8	120	14.4	1224lm/pcs	3000K/4000K/5000K/6500K	80/90/95	DC12V/DC24V	Aluminum+PC	IP20/IP65
L304*W24*H6.8	48	4.4	528lm/pcs	3000K/4000K/5000K/6500K	80/90/95	DC24V	Aluminum+PC	IP20/IP65
L504*W24*H6.8	80	7.2	864lm/pcs	3000K/4000K/5000K/6500K	80/90/95	DC24V	Aluminum+PC	IP20/IP65
L1004*W24*H6.8	160	14.4	1728lm/pcs	3000K/4000K/5000K/6500K	80/90/95	DC24V	Aluminum+PC	IP20/IP65



- 1. Surface mounted design, the most popular version
- 2. Aluminum profile+PC cover, best heat dissipation
- 3. High brightness output with low decay
- 4. Can be used as linear decorative lighting



*Please contact our sales for the latest details and certificates

Dimension mm	LED QTY LED/PCS	Power W	Brightness @4000K Ra80 IP20	CCT	CRI	Voltage	Housing Material	IP Rating
L304*W17*H08	36	4.4	374lm/pcs	3000K/4000K/5000K/6500K	80/90/95	DC12V/DC24V	Aluminum+PC	IP20/IP65
L504*W17*H08	60	7.2	612lm/pcs	3000K/4000K/5000K/6500K	80/90/95	DC12V/DC24V	Aluminum+PC	IP20/IP65
L1004*W17*H08	120	14.4	1224lm/pcs	3000K/4000K/5000K/6500K	80/90/95	DC12V/DC24V	Aluminum+PC	IP20/IP65
L304*W17*H08	48	4.4	528lm/pcs	3000K/4000K/5000K/6500K	80/90/95	DC24V	Aluminum+PC	IP20/IP65
L504*W17*H08	80	7.2	864lm/pcs	3000K/4000K/5000K/6500K	80/90/95	DC24V	Aluminum+PC	IP20/IP65
L1004*W17*H08	160	14.4	1728lm/pcs	3000K/4000K/5000K/6500K	80/90/95	DC24V	Aluminum+PC	IP20/IP65



- 1. Magnet design, suitable for display case
- 2. Aluminum profile+PC cover, best heat dissipation
- 3. High brightness output with low decay
- 4. Can be used as linear decorative lighting




*Please contact our sales for the latest details and certificates

Dimension mm	LED QTY LED/PCS	Power W	Brightness @4000K Ra80 IP20	CCT	CRI	Voltage	Housing Material	IP Rating
L304*W17*H10	36	4.4	374lm/pcs	3000K/4000K/5000K/6500K	80/90/95	DC12V/DC24V	Aluminum+PC	IP20/IP65
L504*W17*H10	60	7.2	612lm/pcs	3000K/4000K/5000K/6500K	80/90/95	DC12V/DC24V	Aluminum+PC	IP20/IP65
L1004*W17*H10	120	14.4	1224lm/pcs	3000K/4000K/5000K/6500K	80/90/95	DC12V/DC24V	Aluminum+PC	IP20/IP65
L304*W17*H10	48	4.4	528lm/pcs	3000K/4000K/5000K/6500K	80/90/95	DC24V	Aluminum+PC	IP20/IP65
L504*W17*H10	80	7.2	864lm/pcs	3000K/4000K/5000K/6500K	80/90/95	DC24V	Aluminum+PC	IP20/IP65
L1004*W17*H10	160	14.4	1728lm/pcs	3000K/4000K/5000K/6500K	80/90/95	DC24V	Aluminum+PC	IP20/IP65


LED Aluminum Profile--Linear Series

Unit:mm


Item NO.: HR-001




Item NO.: HR-002




Item NO.: HR-003




Item NO.: HR-003B




Item NO.: HR-004




Item NO.: HR-005C



Item NO.: HR-006A




Item NO.: HR-007




Item NO.: HR-008



Item NO.: HR-009




Item NO.: HR-010




Item NO.: HR-011




Item NO.: HR-012




Item NO.: HR-012A




Item NO.: HR-012B




Item NO.: HR-012C




Item NO.: HR-013




Item NO.: HR-013A




Item NO.: HR-013B




Item NO.: HR-013C




Item NO.: HR-014




Item NO.: HR-014A



Item NO.: HR-015




Item NO.: HR-015A




LED Aluminum Profile--Linear Series

Unit:mm

Item NO.: HR-015B




Item NO.: HR-016



Item NO.: HR-016A



Item NO.: HR-017



Item NO.: HR-018




Item NO.: HR-018B




Item NO.: HR-019




Item NO.: HR-020




Item NO.: HR-021



Item NO.: HR-022




Item NO.: HR-025



Item NO.: HR-025A




Item NO.: HR-026




Item NO.: HR-029




Item NO.: HR-030




Item NO.: HR-031




Item NO.: HR-032




Item NO.: HR-033




Item NO.: HR-034




Item NO.: HR-035




Item NO.: HR-036



Item NO.: HR-037



Item NO.: HR-038




Item NO.: HR-039



LED Aluminum Profile--Linear Series

Unit:mm

Item NO.: HR-041




Item NO.: HR-045




Item NO.: HR-046




Item NO.: HR-047




Item NO.: HR-048




Item NO.: HR-049




Item NO.: HR-050




Item NO.: HR-051




Item NO.: HR-052



Item NO.: HR-053




Item NO.: HR-054




Item NO.: HR-055




Item NO.: HR-056




Item NO.: HR-057



Item NO.: HR-058




Item NO.: HR-059




Item NO.: HR-060




Item NO.: HR-061




Item NO.: HR-062




Item NO.: HR-063




Item NO.: HR-064




Item NO.: HR-064A



Item NO.: HR-065




Item NO.: HR-066




LED Aluminum Profile--Linear Series

Unit:mm


Item NO.: HR-067




Item NO.: HR-068




Item NO.: HR-069




Item NO.: HR-071




Item NO.: HR-072




Item NO.: HR-073




Item NO.: HR-074




Item NO.: HR-075




Item NO.: HR-075A




Item NO.: HR-076




Item NO.: HR-077




Item NO.: HR-078




Item NO.: HR-079




Item NO.: HR-080




Item NO.: HR-081




Item NO.: HR-082



Item NO.: HR-083




Item NO.: HR-084




Item NO.: HR-085




Item NO.: HR-086




Item NO.: HR-086A




Item NO.: HR-087



Item NO.: HR-088



Item NO.: HR-089



LED Aluminum Profile--Linear Series

Unit:mm


Item NO.: HR-090




Item NO.: HR-091



Item NO.: HR-097




Item NO.: HR-098



Item NO.: HR-099




Item NO.: HR-100




Item NO.: HR-101




Item NO.: HR-102




Item NO.: HR-103



Item NO.: HR-103A




Item NO.: HR-104




Item NO.: HR-106




Item NO.: HR-108



Item NO.: HR-109




Item NO.: HR-114




Item NO.: HR-115




Item NO.: HR-116




Item NO.: HR-117




Item NO.: HR-121




Item NO.: HR-122




Item NO.: HR-125




Item NO.: HR-126



Item NO.: HR-127




Item NO.: HR-128




LED Aluminum Profile--Linear Series

Unit:mm

Item NO.: HR-129




Item NO.: HR-130




Item NO.: HR-131




Item NO.: HR-132




Item NO.: HR-134




Item NO.: HR-135



Item NO.: HR-137




Item NO.: HR-138




Item NO.: HR-139




Item NO.: HR-141




Item NO.: HR-142




Item NO.: HR-143




Item NO.: HR-144




Item NO.: HR-145




Item NO.: HR-146




Item NO.: HR-147



Item NO.: HR-148



Item NO.: HR-151



Item NO.: HR-152




Item NO.: HR-153



Item NO.: HR-154




Item NO.: HR-155



Item NO.: HR-156



Item NO.: HR-157



LED Aluminum Profile--Linear Series

Unit:mm

Item NO.: HR-158




Item NO.: HR-159



Item NO.: HR-160




Item NO.: HR-162




Item NO.: HR-163




Item NO.: HR-164




Item NO.: HR-165




Item NO.: HR-172




Item NO.: HR-173




Item NO.: HR-174



Item NO.: HR-175




Item NO.: HR-176




Item NO.: HR-177




Item NO.: HR-177A




Item NO.: HR-182



Item NO.: HR-183




Item NO.: HR-184




Item NO.: HR-185




Item NO.: HR-188




Item NO.: HR-191




Item NO.: HR-192



Item NO.: HR-194



Item NO.: HR-195




Item NO.: HR-196




LED Aluminum Profile--Linear Series

Unit:mm


Item NO.: HR-198




Item NO.: HR-198A



Item NO.: HR-199




Item NO.: HR-201




Item NO.: HR-202




Item NO.: HR-204




Item NO.: HR-205




Item NO.: HR-210




Item NO.: HR-211




Item NO.: HR-212




Item NO.: HR-213




Item NO.: HR-214




Item NO.: HR-215




Item NO.: HR-219




Item NO.: HR-220




Item NO.: HR-221




Item NO.: HR-222




Item NO.: HR-224




Item NO.: HR-225




Item NO.: HR-229



Item NO.: HR-233




Item NO.: HR-237



Item NO.: HR-241




Item NO.: HR-242




LED Aluminum Profile--Linear Series

Unit:mm

Item NO.: HR-246




Item NO.: HR-247




Item NO.: HR-250




Item NO.: HR-251




Item NO.: HR-253




Item NO.: HR-255




Item NO.: HR-265




Item NO.: HR-268




Item NO.: HR-269




Item NO.: HR-288




Item NO.: HR-289




Item NO.: HR-293




Item NO.: HR-302




Item NO.: HR-303



Item NO.: HR-305




Item NO.: HR-307




Item NO.: HR-308




Item NO.: HR-309




Item NO.: HR-311




Item NO.: HR-312




Item NO.: HR-313




Item NO.: HR-314



Item NO.: HR-315




Item NO.: HR-316



LED Aluminum Profile--Linear Series

Unit:mm


Item NO.: HR-321




Item NO.: HR-326




Item NO.: HR-330



Item NO.: HR-331




Item NO.: HR-332




Item NO.: HR-336



Item NO.: HR-337



Item NO.: HR-338




Item NO.: HR-339




Item NO.: HR-342




Item NO.: HR-343




Item NO.: HR-344




Item NO.: HR-496




Item NO.: HR-497




Item NO.: HR-498




Item NO.: HR-499




Item NO.: HR-500




Item NO.: HR-501




Item NO.: HR-505



Item NO.: HR-506



Item NO.: HR-507




Item NO.: HR-508



Item NO.: HR-510




Item NO.: HR-521




LED Aluminum Profile--Linear Series

Unit:mm


Item NO.: HR-523



Item NO.: HR-524




Item NO.: HR-529




Item NO.: HR-530




Item NO.: HR-533




Item NO.: HR-537




Item NO.: HR-546




Item NO.: HR-553




Item NO.: HR-557




Item NO.: HR-560




Item NO.: HR-560A




Item NO.: HR-564




Item NO.: HR-586K




Item NO.: HR-601




Item NO.: HR-604




Item NO.: HR-624




Item NO.: HR-633




Item NO.: HR-634




Item NO.: HR-637




Item NO.: HR-649



Item NO.: HR-652




Item NO.: HR-678



Item NO.: HR-693




Item NO.: HR-694




LED Aluminum Profile--LED Neon Channel Series

Unit:mm


Item NO.: HR-110



Item NO.: HR-111




Item NO.: HR-112




Item NO.: HR-113




Item NO.: HR-178




Item NO.: HR-179




Item NO.: HR-189




Item NO.: HR-197




Item NO.: HR-203




Item NO.: HR-249




Item NO.: HR-270




Item NO.: HR-271



Item NO.: HR-272




Item NO.: HR-273




Item NO.: HR-274




Item NO.: HR-275




Item NO.: HR-276




Item NO.: HR-277




Item NO.: HR-278



Item NO.: HR-279




Item NO.: HR-280




Item NO.: HR-281



Item NO.: HR-282




Item NO.: HR-283




LED Aluminum Profile--LED Neon Channel Series

Unit:mm

Item NO.: HR-284



Item NO.: HR-285




Item NO.: HR-286



Item NO.: HR-304




Item NO.: HR-306



Item NO.: HR-317




Item NO.: HR-318




Item NO.: HR-512




Item NO.: HR-517



Item NO.: HR-518



Item NO.: HR-519




Item NO.: HR-526




Item NO.: HR-535



Item NO.: HR-536




Item NO.: HR-536B



Item NO.: HR-541



Item NO.: HR-543



Item NO.: HR-544




Item NO.: HR-547



Item NO.: HR-548



Item NO.: HR-551




Item NO.: HR-562



Item NO.: HR-570




Item NO.: HR-571




LED Aluminum Profile--LED Neon Channel Series

Unit:mm


Item NO.: HR-572




Item NO.: HR-573




Item NO.: HR-574




Item NO.: HR-575




Item NO.: HR-576




Item NO.: HR-577




Item NO.: HR-578



Item NO.: HR-579



Item NO.: HR-580



Item NO.: HR-581




Item NO.: HR-636




Item NO.: HR-669




Item NO.: HR-676




Item NO.: HR-684




Item NO.: HR-685



Item NO.: HR-686




Item NO.: HR-690




Item NO.: HR-692



Item NO.: HR-701




Item NO.: HR-730




LED Aluminum Profile--Office Series

Unit:mm


Item NO.: HR-109A




Item NO.: HR-370




Item NO.: HR-371




Item NO.: HR-372




Item NO.: HR-373




Item NO.: HR-374




Item NO.: HR-375




Item NO.: HR-175A




Item NO.: HR-376




Item NO.: HR-377




Item NO.: HR-378




Item NO.: HR-379




Item NO.: HR-380




Item NO.: HR-381




Item NO.: HR-350A




Item NO.: HR-351A




Item NO.: HR-352




Item NO.: HR-353




Item NO.: HR-354




Item NO.: HR-355




Item NO.: HR-356




Item NO.: HR-360A



Item NO.: HR-361A




Item NO.: HR-362




LED Aluminum Profile--Office Series

Unit:mm


Item NO.: HR-363




Item NO.: HR-364




Item NO.: HR-365




Item NO.: HR-366




Item NO.: HR-383




Item NO.: HR-384




Item NO.: HR-385




Item NO.: HR-386




Item NO.: HR-386A




Item NO.: HR-387



Item NO.: HR-626




Item NO.: HR-626A




LED Aluminum Profile--Wall Series

Unit:mm


Item NO.: HR-166



Item NO.: HR-167




Item NO.: HR-168




Item NO.: HR-169




Item NO.: HR-170




Item NO.: HR-171




Item NO.: HR-190




Item NO.: HR-193




Item NO.: HR-209




Item NO.: HR-216




Item NO.: HR-232




Item NO.: HR-267




Item NO.: HR-323




Item NO.: HR-327




Item NO.: HR-329




Item NO.: HR-397




Item NO.: HR-400



Item NO.: HR-401




Item NO.: HR-402



Item NO.: HR-403




Item NO.: HR-404



Item NO.: HR-406



Item NO.: HR-412




Item NO.: HR-414




LED Aluminum Profile--Wall Series

Unit:mm


Item NO.: HR-502




Item NO.: HR-503




Item NO.: HR-504




Item NO.: HR-509




Item NO.: HR-514




Item NO.: HR-516




Item NO.: HR-522




Item NO.: HR-525




Item NO.: HR-542




Item NO.: HR-549



Item NO.: HR-550



Item NO.: HR-554




Item NO.: HR-555




Item NO.: HR-558




Item NO.: HR-559




Item NO.: HR-599




Item NO.: HR-603



Item NO.: HR-670




Item NO.: HR-671




Item NO.: HR-672




Item NO.: HR-673




Item NO.: HR-689



Item NO.: HR-722



Item NO.: HR-723



LED Strip Accessories

Pixel LED Strip Controller



Type: SD Card Pixel Controller
Item NO.: K-8000C
Voltage: 5/12/24V
Signal: SPI or DMX
Pixel: 8CH, 1024pixel/CH
Working mode: offline
Software: LedEdit2014/Glediator



Type: DVI/HDMI Master Controller
Item NO.: H803TV
Voltage: 9V
Signal: SPI 4CH
Pixel: 400000
Working mode: online
Software: LED Studio/MADRIX



Type: SD Card Pixel Controller
Item NO.: K-1000C
Voltage: 5/12/24V
Signal: SPI or DMX
Pixel: 2CH, 1024pixel/CH
Working mode: offline
Software: LedEdit2014/Glediator



Type: Pixel Sub-controller
Item NO.: H802RA
Input Voltage: 100-220V
Signal: SPI or DMX
Pixel: 4CH, 1024pixel/CH
Working mode: online
Software: LED Studio/MADRIX



Type: SPI Signal Amplifier
Item NO.: SP901E
Voltage: 5/12/24V
Signal: SPI
Signal Output: 4CH/8CH
Pixel: same as controller
Series connection: Supported



Type: Pixel Sub-controller
Item NO.: H801RC
Input Voltage: 100-220V
Signal: SPI or DMX
Pixel: 8CH, 1024pixel/CH
Working mode: online
Software: LED Studio/MADRIX



Type: WIFI Pixel Controller
Item NO.: SP108E
Voltage: 5/12/24V
Signal: SPI
Pixel: 2048
Mode: 180+
Remote control distance 30M



Type: 14Key Mini Pixel Controller
Item NO.: HR05-M14
Voltage: 5/12/24V
Signal: SPI
Pixel: 2048
Mode: 358
Remote control distance 20M



Type: Bluetooth Music Pixel Controller
Item NO.: SP107E
Voltage: 5/12/24V
Signal: SPI
Pixel: 2048
Mode: 18
Remote control distance 20M



Type: Chasing Back Pixel Controller
Item NO.: HR05-CR3
Voltage: 12-24V
Signal: SPI
Pixel: 2048
Mode: 20
Remote control distance 20M

RGB LED Strip Amplifier



Type: RGB Amplifier
Item NO.: HR05-APRGB
Voltage: 12/24V
Power: 432W(12V)/432W(24V)



Type: Project RGBW Amplifier
Item NO.: HR05-AMF-T4
Voltage: 12/24V
Power: 384W(12V)/768W(24V)

LED Strip Accessories

RGB LED Strip Controller



Type: IR 24Key RGB Controller
Item NO.: HR13-IR24
Voltage: 12/24V
Output Current: 3CH, 2A/CH
Power: 72W(12V)/144W(24V)
Connection mode: common anode
Remote control distance 10M



Type: Panel RGB Controller
Item NO.: HR13-TM08
Voltage: 12/24V
Output Current: 3CH, 4A/CH
Power: 144W(12V)/288W(24V)
Signal: PWM
Material: tempered glass



Type: Mini Bluetooth RGB Controller
Item NO.: HR13-BT-RGBW
Voltage: 12/24V
Output Current: 3CH, 2A/CH
Power: 96W(12V)/192W(24V)
Connection mode: common anode
Remote control distance 20M



Type: Tuya WIFI RGB CCT Controller
Item NO.: WT5
Voltage: 12-24V
Output Current: 5CH, 3A/CH
Power: 180W(12V)/360W(24V)
Signal: Tuya APP+RF 2.4GHz
Remote control distance 30M



Type: RF Touch RGBW Controller
Item NO.: HR13-2.4G-05
Voltage: 12/24V
Output Current: 4CH, 6A/CH
Power: 288W(12V)/576W(24V)
Connection mode: common anode
Remote control distance 20-30M



Type: RF Touch RGB Controller
Item NO.: HR13-RF800
Voltage: 12/24V
Output Current: 3CH, 6A/CH
Power: 216W(12V)/432W(24V)
Connection mode: common anode
Remote control distance 20-30M



Type: 24CH DMX512 Decoder
Item NO.: HR13-DMXRGB-24
Voltage: 12/24V
Output Current: 24CH, 3A/CH
Power: 864W(12V)/1728W(24V)
Input Signal: DMX512/1990
Output Signal: PWM



Type: 4CH DMX512 Decoder
Item NO.: HR13-DMXRGBW1
Voltage: 12/24V
Output Current: 4CH, 4A/CH
Power: 192W(12V)/384W(24V)
Input Signal: DMX512/1990
Output Signal: PWM

LED Strip Dimmer



Type: 0-10V Dimmer
Item NO.: HR06-1CH-LV
Voltage: 12/24V
Output Current: 1CH, 8A/CH
Power: 96W(12V)/192W(24V)
Connection mode: common anode
Control mode: rotate the push button



Type: Panel Touch Dimmer
Item NO.: HR13-TM06
Voltage: 12/24V
Output Current: 1CH, 8A/CH
Power: 96W(12V)/192W(24V)
Signal: PWM/PWM
Material: tempered glass



Type: RF Mini Dimmer
Item NO.: HR06-RFMINI01
Voltage: 12/24V
Output Current: 1CH, 6A/CH
Power: 72W(12V)/144W(24V)
Connection mode: common anode
Remote control distance 20M



Type: RF Touch Dimmer
Item NO.: HR06-RF801
Voltage: 12/24V
Output Current: 2CH, 9A/CH
Power: 216W(12V)/432W(24V)
Connection mode: common anode
Remote control distance 20M

LED Connector

Hippo-M		Type	Pin QTY	Max V/C	Wire/PCB
		strip to wire Strip to Strip	2Pin	DC36V 5A	20-22AWG IP20 5mm
		strip to wire Strip to Strip	2Pin	DC36V 5A	18-22AWG IP20 8mm
		strip to wire Strip to Strip	2Pin	DC36V 5A	18-22AWG IP54/65 8mm
		strip to wire Strip to Strip	2Pin	DC36V 5A	20-22AWG IP20 10mm
		strip to wire Strip to Strip	2Pin	DC36V 5A	18-22AWG IP54/65 10mm
		strip to wire Strip to Strip	2Pin	DC36V 5A	20-22AWG IP20 12mm
		strip to wire Strip to Strip	3Pin	DC36V 5A	20-22AWG IP20 10mm
		strip to wire Strip to Strip	3Pin	DC36V 5A	20-22AWG IP54/65 10mm
		strip to wire Strip to Strip	4Pin	DC36V 5A	20-22AWG IP65 10mm
		strip to wire Strip to Strip	5Pin	DC36V 5A	20-22AWG IP20 12mm
		strip to wire Strip to Strip	5Pin	DC36V 5A	20-22AWG IP54/65 12mm
		strip to wire Strip to Strip	6Pin	DC36V 5A	20-22AWG IP20 12mm
		strip to wire Strip to Strip	6Pin	DC36V 5A	20-22AWG IP54/65 12mm

FPC Shape		Type	Pin QTY	Max V/C	PCB Width
		L Shape	2Pin	DC36V 3.5A	8mm/10mm IP20
		L Shape	4Pin	DC36V 3.5A	10mm IP20
		T Shape	2Pin	DC36V 3.5A	8mm/10mm IP20
		T Shape	4Pin	DC36V 3.5A	10mm IP20
		Cross(+) Shape	2Pin	DC36V 3.5A	8mm/10mm IP20
		Cross(+) Shape	4Pin	DC36V 3.5A	10mm IP20

Wire Join		Shape	Pin QTY	Wire
		T	1 Pin	G: 20-22AWG D: 18-20AWG
		I	1Pin	G: 20-22AWG D: 18-20AWG
		I	2Pin	G: 20-22AWG D: 18-20AWG
		T	2Pin	G: 20-22AWG D: 18-20AWG

PluggableWire Join		Type	Max V/C	Wire
		2Pin	DC36V 9A	20-22AWG
		1T2 way	DC36V 6A	20-22AWG
		1T3 way	DC36V 6A	20-22AWG
		1T4 way	DC36V 6A	20-22AWG

Beetle Clip		Type	Max V/C	Wire/PCB
		strip to wire	DC36V 5A	20AWG IP20 8mm
		strip to wire	DC36V 5A	20AWG IP20 10mm
		strip to strip	DC36V 5A	/ IP20 8mm
		strip to strip	DC36V 5A	/ IP20 10mm

Mounting Clip		Color	IP	Inner Width
		clear	IP20	8/10/12mm PCB board
		clear	IP65	8/10mm PCB board
		clear	IP65	10/12mm width silicone tube

LED Connector

Snap SR		Type	Pin QTY	Max V/C	Wire/PCB
		strip to wire Strip to Strip	2Pin	DC24V 3.5A	22AWG IP20 8mm
		strip to wire Strip to Strip	2Pin	DC24V 3.5A	22AWG IP20 8mm
		strip to wire Strip to Strip	2Pin	DC24V 3.5A	22AWG IP20 10mm
		strip to wire Strip to Strip	2Pin	DC24V 3.5A	22AWG IP20 10mm
		strip to wire Strip to Strip	3Pin	DC24V 3.5A	22AWG IP20 8mm
		strip to wire Strip to Strip	3Pin	DC24V 3.5A	22AWG IP20 10mm
		strip to wire Strip to Strip	4Pin	DC24V 3.5A	22AWG IP20 8mm
		strip to wire Strip to Strip	4Pin	DC24V 3.5A	22AWG IP20 10mm
		strip to wire Strip to Strip	5Pin	DC24V 3.5A	22AWG IP20 10mm
		strip to wire Strip to Strip	5Pin	DC24V 3.5A	22AWG IP20 12mm
		strip to wire Strip to Strip	6Pin	DC24V 3.5A	22AWG IP20 12mm

Piercing Connector		Type	Pin QTY	Max V/C	PCB Width
		strip to wire Strip to Strip	2Pin SMD/COB	DC48V 4A	5mm
		strip to wire Strip to Strip	2Pin SMD/COB	DC48V 6A	8mm IP20
		strip to wire Strip to Strip	2Pin SMD/COB	DC48V 6A	10mm IP20
		strip to wire Strip to Strip	3Pin SMD/COB	DC48V 6A	10mm IP20
		strip to wire Strip to Strip	4Pin SMD/COB	DC48V 4A	10mm IP20
		strip to wire Strip to Strip	5Pin SMD/COB	DC48V 4A	12mm IP20
		strip to wire Strip to Strip	6Pin SMD/COB	DC48V 4A	12mm IP20

Solid Lock		Pin QTY	Max V/C	Wire/PCB
		2Pin	DC24V 6A	20-22AWG IP20 8mm
		2Pin	DC24V 6A	20-22AWG IP20 10mm
		3Pin	DC24V 6A	20-22AWG IP20 10mm
		4Pin	DC24V 6A	20-22AWG IP20 10mm

Flat Wire		Type	Voltage	Wire Gauge
		2Pin	300V	22-*18AWG 0.32-0.78mm ²
		3Pin	300V	22-*18AWG 0.32-0.78mm ²
		4Pin	300V	22-*18AWG 0.32-0.78mm ²
		5Pin	300V	22-*18AWG 0.32-0.78mm ²
		6Pin	300V	22-*18AWG 0.32-0.78mm ²

DC5.5 Connector		Type	Voltage	Wire Gauge
		Single end	24V	22-18AWG
		1 to 2	24V	22-18AWG
		1 to 3	24V	22-18AWG
		1 to 4	24V	22-18AWG
		1 to 5	24V	22-18AWG
		1 to 6	24V	22-18AWG

Normal LED Power Supply



Type: LED Wall Power Supply
Power: 12/18/24/36W
Input Voltage: 100V-264V/AC
Output Voltage: DC12/24V
Chinese/American/European/Australian Plug available
Non-waterproof



Type: LED Desktop Adapter
Power: 36/48/60/72/96/120/150W
Input Voltage: 100V-264V/AC
Output Voltage: DC12/24V
Chinese/American/European/Australian Plug available
Non-waterproof



Type: Iron Housing Switching Power Supply
Power: 24/36/60/100/200/350/400W
Input Voltage: 100V-264V/AC
Output Voltage:DC12/24V
Non-waterproof



Type: Iron Housing Rain Waterproof
Power: 60/120/200/350/400W
Input Voltage: 100V-264V/AC
Output Voltage:DC12/24V
Rain Waterproof



Type: Plastic housing Waterproof
Power: 20/35/60/75/100W
Input Voltage: 100V-264V/AC
Output Voltage: DC12/24V
IP67 Waterproof



Type: Aluminum housing waterproof
Power: 20/50/60/100/150/200/250W
Input Voltage: 100V-264V/AC
Output Voltage: DC12/24V
IP67 Waterproof

Meanwell Power Supply



Type: Meanwell LRS Series
Power: 35/75/100/200/450W
Input Voltage: 100V-264V/AC
Output Voltage: DC12/24V
Non-waterpfoof



Type: Meanwell LPV Series
Power: 20/35/60/100/150W
Input Voltage: 100V-264V/AC
Output Voltage: DC12/24V
IP67 Waterproof



Type: Meanwell HLG Series
Power: 60/120/150/240/320/480W
Input Voltage:100V-264V/AC
Output Voltage:DC12/24V
IP67 Waterproof