




2107


- ◆ Chip: Epistar SMD/Bridgelux
- ◆ CCT: 3000K /4000K /6000K/R/G/B
- ◆ Material: Aluminum body,Tempered glass
(Clear/Frosted),Aluminum box
- ◆ Input Voltage: DC24V



Optional Holder


Technical Parameter

Model	Size(mm)			Rated Power	Hole Size(mm)	N.W(kg)	Packing Size	Angle (Lens)
	L	W	H					
2107	1000	35	55	24W/DC24V	1000*35*55mm	2.3kg	102.5*31.5*18cm/10pcs	椭圆透镜 20* 40 °
	500	35	55	12W/DC24V	500*35*H55mm	1.2kg	102.5*31.5*18cm/20pcs	椭圆透镜 20* 40 °
	300	35	55	6W/DC24V	300*35*H55mm	0.75kg	102.5*31.5*18cm/30pcs	椭圆透镜 20* 40 °





LED Linear Recessed Inground lights




- ◆ Chip: Osram
- ◆ CCT: 3000K/4000K/6000K/RGBW
- ◆ Material: Aluminum Body+Aluminum Holder+Tempered Glass(clear or frosted)
- ◆ Input Voltage: 12V/24V



Technical Parameter

Model	Power	Hole Size(mm)	Angle(lens)	Lumen (3000k)
2107P	24x1W	L1000x35xH60	30°	100lm/W
	12x1W	L500x35xH60		
	9x1W	L300x35xH60		








Technical Parameter


Model	Size(mm)			Rated Power	Hole Size(mm)	N.W(kg)	Angle (Lens)
	L	W	H				
1050	1050	115	105	18W	1025*105*H110mm	7.5kg	15° /30° / 45° / 60 °
830	830	115	105	15W	810*105*H110mm	6.3kg	15° /30° / 45° / 60 °
630	630	115	105	12W	610*105*H110mm	4.7kg	15° /30° / 45° / 60 °
430	430	115	105	8W/9W	410*105*H110mm	3.3kg	15° /30° / 45° / 60 °
230	230	115	105	5W	210*105*H110mm	1.85kg	15° /30° / 45° / 60 °



LED Linear Recessed Inground lights



- ◆ Chip: Bridgelux/CREE
- ◆ CCT: 3000K/4000K/6000K/RGBW
- ◆ Material: : Stainless Steel 304 Cover+Aluminum Body+Aluminum Embedded Part+Tempered Glass(clear or frosted)
- ◆ Input Voltage: 12V/24V/220~240V 50~60Hz



Technical Parameter

Model	Lamp Size(mm)	Power	Hole Size(mm)	N.W(kg)	Packing Size	Angle(lens)
005	L1000x90xH105	18/24W	L985x80xH110	6	103.5x25x23cm/4pcs	10/15/30/ 45/60/90°
004	L800x90xH105	15W	L785x80xH110	5.3	83x25x23cm/4pcs	
003	L600x90xH105	12W	L585x80xH110	4.2	63x25x34cm/6pcs	
002	L500x90xH105	10W	L485x80xH110	3.5	53x25x34cm/6pcs	
001	L300x90xH105	5W	L285x80xH110	2.2	33x25x46cm/8pcs	
005S	L1000x90xH105	20W SMD	L985x80xH110	6	103.5x25x23cm/4pcs	Wide
001S	L230x90xH105	3W SMD	L215x80xH110	1.7	33x25x46cm/8pcs	